

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2237	(america adj online) (harada near larry) (dolecki near mark) (hendren near hudson) (purdum near christopher)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 13:49
L11	1685	2 and ((user or client or application or computer or terminal or request\$4 or consumer or customer entity requester requesting) near (profil\$4 credential\$4 or demograph\$4 or information or attribut\$5 data identifier identity identification ID DID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 14:49
L13	526	11 and ((append\$5 or annex\$5 or combin\$5 or augment\$5 or add\$3 addition additional or attach\$4 or along insert\$3) near1 (request\$ or url or address\$4 or destinat\$4 or target\$4 or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 14:50
L14	512	13 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) with (append\$3 or annex\$5 or combin\$5 or augment\$5 or add\$5 insert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 14:56
L15	47	14 and ((add\$3 additional insert\$3 append\$3 or annex\$5 or combin\$5 or augment\$5 creat\$3 generat\$3) near1 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 14:54
L16	15	15 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) near encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 14:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	601	713/185	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:25
L18	500	17 and ((user or client or application or computer or terminal or request\$4 or consumer or customer entity requester requesting) near (profil\$4 credential\$4 or demograph\$4 or information or attribut\$5 data identifier identity identification ID DID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:27
L19	64	18 and ((append\$5 or annex\$5 or combin\$5 or augment\$5 or add\$3 addition additional or attach\$4 or along insert\$3) near1 (request\$4 or url or address\$4 or destinat\$4 or target\$4 or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:27
L20	60	19 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) with (append\$3 or annex\$5 or combin\$5 or augment\$5 or add\$5 insert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:16
L21	32	20 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) near encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:17
L22	3	21 and ((add\$3 additional insert\$3 append\$3 or annex\$5 or combin\$5 or augment\$5 creat\$3 generat\$3) near1 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:20
L23	5	20 and ((add\$3 additional insert\$3 append\$3 or annex\$5 or combin\$5 or augment\$5 creat\$3 generat\$3) near1 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:20
L24	23655	"713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:25

L25	12694	24 and ((user or client or application or computer or terminal or request\$4 or consumer or customer entity requester requesting) near (profil\$4 credential\$4 or demograph\$4 or information or attribut\$5 data identifier identity identification ID DID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:55
L26	1742	25 and ((append\$5 or annex\$5 or combin\$5 or augment\$5 or add\$3 addition additional or attach\$4 or along insert\$3) near1 (request\$4 or url or address\$4 or destinat\$4 or target\$4 or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:56
L27	1639	26 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) with (append\$3 or annex\$5 or combin\$5 or augment\$5 or add\$5 insert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:56
L28	152	27 and ((add\$3 additional insert\$3 append\$3 or annex\$5 or combin\$5 or augment\$5 creat\$3 generat\$3) near1 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:57
L29	92	28 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) near encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:57
L31	79	29 and (proxy or firewall or gateway or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:58
L33	32	31 and ((modif\$4 chang\$3 append\$3 or annex\$3 or combin\$5 or augment\$3) near1 (request\$4 or url message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 15:59
L34	5	33 and @ad<"19990601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:10
L35	13839	"380"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:05

L36	5008	35 and ((user or client or application or computer or terminal or request\$4 or consumer or customer entity requester requesting) near (profil\$4 credential\$4 or demograph\$4 or information or attribut\$5 data identifier identity identification ID DID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:05
L37	529	36 and ((append\$5 or annex\$5 or combin\$5 or augment\$5 or add\$3 addition additional or attach\$4 or along insert\$3) near1 (request\$4 or url or address\$4 or destinat\$4 or target\$4 or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:06
L38	508	37 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) with (append\$3 or annex\$5 or combin\$5 or augment\$5 or add\$5 insert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:07
L39	52	38 and ((add\$3 additional insert\$3 append\$3 or annex\$5 or combin\$5 or augment\$5 creat\$3 generat\$3) near1 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:07
L40	40	39 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) near encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:08
L41	30	40 and (proxy or firewall or gateway or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:08
L42	12	41 and ((modif\$4 chang\$3 append\$3 or annex\$3 or combin\$5 or augment\$3) near1 (request\$4 or url message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:09
L43	39124	"705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:05

L44	26793	43 and ((user or client or application or computer or terminal or request\$4 or consumer or customer entity requester requesting) near (profil\$4 credential\$4 or demograph\$4 or information or attribut\$5 data identifier identity identification ID DID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:05
L45	4432	44 and ((append\$5 or annex\$5 or combin\$5 or augment\$5 or add\$3 addition additional or attach\$4 or along insert\$3) near1 (request\$4 or url or address\$4 or destinat\$4 or target\$4 or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:06
L46	4217	45 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) with (append\$3 or annex\$5 or combin\$5 or augment\$5 or add\$5 insert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:07
L47	450	46 and ((add\$3 additional insert\$3 append\$3 or annex\$5 or combin\$5 or augment\$5 creat\$3 generat\$3) near1 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:07
L48	99	47 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) near encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:08
L50	91	48 and (proxy or firewall or gateway or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:09
L51	31	50 and ((modif\$4 chang\$3 append\$3 or annex\$3 or combin\$5 or augment\$3) near1 (request\$4 or url message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:09
L52	6	51 and @ad<"19990601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:10

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L57	7496	"726"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:50
L58	5679	57 and ((user or client or application or computer or terminal or request\$4 or consumer or customer entity requester requesting) near (profil\$4 credential\$4 or demograph\$4 or information or attribut\$5 data identifier identity identification ID DID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:50
L59	1091	58 and ((append\$5 or annex\$5 or combin\$5 or augment\$5 or add\$3 addition additional or attach\$4 or along insert\$3) near1 (request\$4 or url or address\$4 or destinat\$4 or target\$4 or web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:51
L60	1012	59 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) with (append\$3 or annex\$5 or combin\$5 or augment\$5 or add\$5 insert\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:51
L61	70	60 and ((add\$3 additional insert\$3 append\$3 or annex\$5 or combin\$5 or augment\$5 creat\$3 generat\$3) near1 field)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:52
L62	26	61 and ((profil\$3 or credential\$4 or demograph\$4 or data or information identifier identity identification ID DID) near encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:52
L64	25	62 and (proxy or firewall or gateway or server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:54
L65	5	64 and @ad<"19990601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/23 16:54

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L56	62	((user or client or application or computer or terminal or request\$4 or consumer or customer entity) and (profil\$4 credential\$4 or demograph\$4 or information or attribut\$5 data identifier identity identification ID DID) and (append\$5 or annex\$5 or combin\$5 or augment\$5 or add\$3 attach\$4 insert\$3) and (request\$3 url or address\$4 or destinat\$4 or target\$4 or web) and field and (proxy or firewall or gateway or server) and (modif\$4 chang\$3) and http and stor\$3).clm.	US-PGPUB	OR	ON	2006/01/23 16:26